

“UNPARALLELED PERFORMANCE AND SAFETY UNDER PRESSURE!”®

Tools

Hydrostatic Test Tools

- Pressures from 5,000 psi to 40,000 psi (345 bar to 2,758 bar)
- Collet grip and seal on tube OD
- Low-marking collet design
- Manual lever, single or dual air-operated models
- Pressure-compensated grip

Model LPH Series: Pressures to 5,000 psi (345 bar)

Model LPHE Series: Pressures to 5,000 psi (345 bar) (Helium)


Model MPG Series: Pressures to 10,000 psi (689 bar) (Helium)

Model 64 Series: Pressures to 10,000 psi (689 bar)

Model 264 Series: Pressures to 20,000 psi (1,379 bar)

Model 364 Series: Pressures to 30,000 psi (2,068 bar)

Model 464 Series: Pressures to 40,000 psi (2,758 bar)



TestMaster® Hydrostatic Test Tools offer fast, snap-on coupling and positive sealing of tubes, tube assemblies, and systems. Use with Airmo Hydrostatic Pressure Systems or Burst Test Chambers. Equipment engineered to customer application requirements.

To learn more about TestMaster® products: visit our website at www.airmo.com or call 1-800-394-0016

Model 500 Series Hydrostatic Test Tools

- Pressures to 20,000 psi (1,379 bar)
- Air-actuated for positive pre clamp and quick collet release
- Suitable for hand-held, suspended, or fixed mounting
- Automated applications



Speciality

Model 300 Series Hydrostatic Test Tools

- Pressures to 5,000 psi (345 bar)
- Inside tube grip and sealing for pressure and leak testing




Model 310 Series Hydrostatic Hose Test Tools

- Pressures to 30,000 psi (2,068 bar)
- Pressure testing of male-threaded fittings and hose ends



Model 350 Series Hydrostatic Bottle and Cylinder Test Tools

- Pressures to 15,000 psi (1,034 bar)
- Pressure testing of female-threaded products



Systems

Model HPS Series Hydrostatic Pressure Systems

- Pressures to 30,000 psi (2,068 bar)
- Fast cycle times for tube and pipe, pressure and leak testing
- Portable configurations available



Model 30096 Burst Test Chambers

- Pressures to 30,000 psi (2,068 bar)
- Manual or electronic control for destructive and non-destructive testing



AIRMO, INC. 9445 Evergreen Blvd. NW, Minneapolis, MN 55433-5840 USA

PHONE: 1(763) 786-0000 or 1(800) 394-0016 | FAX: 1(763) 786-4622 | EMAIL: airmo@airmo.com | WEBSITE: www.airmo.com



"UNPARALLELED PERFORMANCE AND SAFETY UNDER PRESSURE!"[®]

About Us

Airmo Inc. Pressure Technologies is a global supplier dedicated to the design and manufacture of systems, tools, high-pressure accessories and components used for hydrostatic pressure testing, end forming, and tube expansion applications.

Our focus on delivering innovative, quality products engineered to customer specifications enhances our capability to be a total solutions provider. Industries include: aerospace, defense, energy, HVAC, mobile equipment, nuclear, oil, gas, subsea, and tube and pipe mills.


Quality, Durability, Performance, and Safety built into every system and tool is the Airmo advantage.

**To learn more:
visit our website at
www.airmo.com
or call 1-800-394-0016**



TESTMASTER[®]

Hydrostatic pressure systems and tooling are used for pressure and leak testing of tubes, assemblies, and systems. Service options include water, oil, Skydrol and helium. Pressures to 40,000 psi (2,758 bar).



SELECTFORM[®]

Hydraulic power units and size-dedicated tools for expansion, reduction, beading, flaring, or swaging of tube ends. Pressures to 3,000 psi (207 bar).




EXPANTEK[®]

Tube expansion or hydro-mechanical systems and tooling use pressurized water to rapidly expand tubes or pipes. Pressures to 30,000 psi (2,068 bar).



NUQUIP[®]

Airmo high-pressure accessories and components supply pressure, connect equipment, channel fluids, and control pressures to improve system performance. Pressures to 60,000 psi (4,137 bar).



AIRMO, INC. 9445 Evergreen Blvd. NW, Minneapolis, MN 55433-5840 USA

PHONE: 1(763) 786-0000 or 1(800) 394-0016 | **FAX:** 1(763) 786-4622 | **EMAIL:** airmo@airmo.com | **WEBSITE:** www.airmo.com

S099.E.0121-Airmo-Line-Card © 2021 All Rights Reserved. Contents subject to change. All trademarks are the property of their owners.